



NATIONAL  
ENVIRONMENTAL  
TESTING, INC.

JUL 6 1998

Indianapolis Division  
6964 Hillside Ct.  
Indianapolis, IN 46250  
Tel: (317) 842-4261  
Fax: (317) 842-4286

## ANALYTICAL REPORT

Mr. Richard Tyler  
MILBANK MANUFACTURING INC  
1400 E. HAVENS ST.  
KOKOMO, IN 56901-3188

07/01/1998

NET Job Number: 98.04322  
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Number	Sample Description	Date Taken	Date Received
211278	OUTFALL 001	06/26/1998	06/26/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative

MIL0004752



NATIONAL  
ENVIRONMENTAL  
TESTING, INC.

JUL 6 1998

Indianapolis Division  
6964 Hillsdale Ct.  
Indianapolis, IN 46250  
Tel: (317) 842-4261  
Fax: (317) 842-4286

## ANALYTICAL REPORT

Mr. Richard Tyler  
MILBANK MANUFACTURING INC  
1400 E. HAVENS ST.  
KOKOMO, IN 56901-3188

07/01/1998

Job No.: 98.04322  
Page 2 of 3

Date Received: 06/26/1998  
Job Description: TWICE WEEKLY WASTEWATER

Sample Number / Sample I.D.			Sample Date/ Units	Analyst & Date Analyzed	Method	Reporting Limit
Parameters	Result	Flag				
211278	OUTFALL 001		06/26/1998			
Iron, ICP	0.15		mg/L	tjg / 06/30/1998	EPA 200.7	<0.10
Lead, ICP	<0.080		mg/L	tjg / 06/30/1998	EPA 200.7	<0.080
Silver, ICP	<0.020		mg/L	tjg / 06/30/1998	EPA 200.7	<0.020
Zinc, ICP	1.5		mg/L	tjg / 06/30/1998	EPA 200.7	<0.020

MIL0004753





NATIONAL  
ENVIRONMENTAL  
TESTING, INC.

JUL 6 1998

Indianapolis Division  
6964 Hillsdale Ct.  
Indianapolis, IN 46250  
Tel: (317) 842-4261  
Fax: (317) 842-4286

### FIELD REPORT

JOB #: 98.04322  
CLIENT: MILBANK MFG.  
PROJECT: TWICE WEEKLY WASTEWATER  
DATE: 6/26/98  
SAMPLER(S): NTH

An ISCO model 2910 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated withalconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 24 hours.

Monitoring start 8:00 on 6/25/98  
Monitoring end 8:00 on 6/26/98

The composite sample was cloudy, milky-white color.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.

MIL0004754





COMPANY Midbank  
ADDRESS \_\_\_\_\_  
PHONE \_\_\_\_\_ FAX \_\_\_\_\_  
PROJECT NAME/LOCATION \_\_\_\_\_  
PROJECT NUMBER Twice weekly  
PROJECT MANAGER \_\_\_\_\_

NET QUOTE NO. 98.0060

SIGNATURE

To assist us in selecting the proper method

Is this work being conducted for regulatory enforcement action? Yes \_\_\_\_\_ No \_\_\_\_\_

Which regulations apply: RCRA \_\_\_\_\_ NPDES Wastewater \_\_\_\_\_  
UST \_\_\_\_\_ Drinking Water \_\_\_\_\_  
Other \_\_\_\_\_ None \_\_\_\_\_

## COMMENTS

[illegible]

TEMPERATURE UPON RECEIPT: 5.4°C  
Bottles supplied by NET? ☒ YES ☐ NO

DATE \_\_\_\_\_

RECEIVED FOR NEZBY

REMARKS: